

## CyberPower UT550GU uninterruptible power supply (UPS) Line-Interactive 0.55 kVA 275 W 8 AC outlet(s)

**Brand :** CyberPower

**Product code:** UT550GU

**Product name :** UT550GU

CyberPower UT550GU. UPS topology: Line-Interactive, Output power capacity: 0.55 kVA, Output power: 275 W. AC outlet types: NEMA 5-15R, AC outlets quantity: 8 AC outlet(s), USB port type: USB Type-A. Battery technology: Sealed Lead Acid (VRLA), Battery recharge time: 6 h. Form factor: Tower, Product colour: Black, Housing material: Plastic. Width: 84 mm, Depth: 174 mm, Height: 280 mm



Features		Battery	
UPS topology *	Line-Interactive	Battery technology	Sealed Lead Acid (VRLA)
Output power capacity *	0.55 kVA	Battery recharge time	6 h
Output power *	275 W	<b>Design</b>	
Waveform *	Sine	Form factor *	Tower
Input operation voltage (min) *	86 V	Housing material	Plastic
Input operation voltage (max) *	148 V	Cable length	1.2 m
Input frequency *	50/60 Hz	Product colour *	Black
Output operation voltage (min)	110 V	LED indicators	✓
Output operation voltage (max)	130 V	Certification	NOM
Number of input phases	1	<b>Operational conditions</b>	
Number of output phases	8	Operating temperature (T-T)	0 - 40 °C
EMI/RFI noise filtering	✓	Storage temperature (T-T)	-20 - 50 °C
Surge protection	✓	Operating relative humidity (H-H)	0 - 90%
Power protection features	Over current, Over power, Over voltage, Overcharge, Overload, Short circuit, Under power, Under voltage	Storage relative humidity (H-H)	0 - 90%
		Operating altitude	0 - 3000 m
Audible alarm(s)	✓	<b>Technical details</b>	
Audible alarm modes	Fault, Low battery alarm, Overload alarm	Sustainability certificates	RoHS
<b>Ports &amp; interfaces</b>		<b>Weight &amp; dimensions</b>	
AC outlet types	NEMA 5-15R	Width	84 mm
AC outlets quantity	8 AC outlet(s)	Depth	174 mm
USB port	✓	Height	280 mm
USB 2.0 ports quantity	1	Weight	4.01 kg
USB port type	USB Type-A	<b>Packaging data</b>	
		Cables included	Input power cable

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-MAY-2024. Prints or copies of Information are only valid on the printed Publication date